

No.: AJHL1705002494FT

Date: MAY 28, 2017

Page: 1 of 3

### **EASYBUILD BVBA**

ONDERNEMERSSTRAAT 11 2500 LIER, BELGIUM

The following sample(s) was / were submitted and identified on behalf of the client as:

| Sample Description    | EASYCUBES: FLOORTILE + CUBE + COVER |
|-----------------------|-------------------------------------|
| Sample Receiving Date | MAY 16, 2017                        |
| Test Performing Date  | MAY 16, 2017 TO MAY 26, 2017        |

| Toot(a) Paguantad | Concentrated Load (in accordance with SJ/T 10796-2001)         |  |  |  |
|-------------------|--|--|--|--|
| Test(s) Requested | Limited Concentrated Load (in accordance with SJ/T 10796-2001) |  |  |  |
| Test(s) Result    | For further details, please refer to the following page(s)     |  |  |  |

Signed for and on behalf of SGS-CSTC Co., Ltd. Anji Branch

David Fan

Approved Signatory





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No. 301, Sunlight Read, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com



No.: AJHL1705002494FT

Date: MAY 28, 2017

Page: 2 of 3

Test Conducted: SJ/T 10796-2001 General specification for raised access floors for electrostatic protection

**Test Conditioning:** 

| Standard atmosphere | Temperature   | Relative humidity |
|---------------------|---------------|-------------------|
| Otandard atmosphere | 15 °C ~ 35 °C | 45% ~ 75%         |

#### 1. Concentrated Load

#### **Test Method:**

Apply a concentrated load on the center of top surface via the 5 cm $\times$ 5 cm load pad, record the deflection under the specified load. Unload to preload of 245 N and record the permanent deformation of center point.

### **Test Result:**

| Load  | Deflection | Load  | Deflection | Load  | Deflection | Permanent deformation |
|-------|------------|-------|------------|-------|------------|-----------------------|
| 25kg  | 3.20 mm    | 205kg | 18.03 mm   | 385kg | 26.79 mm   |                       |
| 45kg  | 5.35 mm    | 225kg | 19.13 mm   | 405kg | 27.65 mm   |                       |
| 65kg  | 7.70 mm    | 245kg | 20.19 mm   | 425kg | 28.56 mm   |                       |
| 85kg  | 9.52 mm    | 265kg | 21.28 mm   | 445kg | 29.39 mm   |                       |
| 105kg | 11.49 mm   | 285kg | 22.39 mm   | 465kg | 30.34 mm   | 3.12 mm               |
| 125kg | 12.97 mm   | 305kg | 23.34 mm   | 485kg | 31.29 mm   |                       |
| 145kg | 14.43 mm   | 325kg | 24.23 mm   | 500kg | 32.04 mm   |                       |
| 165kg | 15.65 mm   | 345kg | 25.15 mm   | /     | 1          |                       |
| 185kg | 16.88 mm   | 365kg | 26.00 mm   | 1     | 1          |                       |

### 2. Limited Concentrated Load

### **Test Method:**

Apply a concentrated load on the center of top surface via the 5 cm  $\times$ 5 cm load pad until the sample damaged. Record the load.

### Test Result:

| Test Item    | Test Result |  |  |
|--------------|-------------|--|--|
| Limited load | 542 kg      |  |  |





No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com chnical Seaf





No.: AJHL1705002494FT Date: MAY 28, 2017 Page: 3 of 3

### Photo Appendix









SGS authenticate the photo on original report only

\*\*\*End of Report\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

A I H I O 16056

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com



No.: AJHL1705002495FT Date: MAY 28, 2017 Page: 1 of 3

## **EASYBUILD BVBA**

ONDERNEMERSSTRAAT 11 2500 LIER, BELGIUM

The following sample(s) was / were submitted and identified on behalf of the client as:

| Sample Description    | EASYCUBES: FLOORTILE + COVER |
|-----------------------|------------------------------|
| Sample Receiving Date | MAY 16, 2017                 |
| Test Performing Date  | MAY 16, 2017 TO MAY 26, 2017 |
|                       |                              |

| Test(s) Requested | Concentrated Load (in accordance with SJ/T 10796-2001)         |  |  |  |
|-------------------|--|--|--|--|
|                   | Limited Concentrated Load (in accordance with SJ/T 10796-2001) |  |  |  |
| Test(s) Result    | For further details, please refer to the following page(s)     |  |  |  |

Signed for and on behalf of SGS-CSTC Co., Ltd. Anji Branch

David Fan

Approved Signatory





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is collected that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

A I Fell 0 1 6 0 5 7



No.: AJHL1705002495FT

Date: MAY 28, 2017

Page: 2 of 3

Test Conducted: SJ/T 10796-2001 General specification for raised access floors for electrostatic protection

**Test Conditioning:** 

| Standard atmosphere | Temperature   | Relative humidity |
|---------------------|---------------|-------------------|
|                     | 15 °C ~ 35 °C | 45% ~ 75%         |

### 1. Concentrated Load

#### **Test Method:**

Apply a concentrated load on the center of top surface via the 5 cm $\times$ 5 cm load pad, record the deflection under the specified load. Unload to preload of 245 N and record the permanent deformation of center point.

### **Test Result:**

| Load  | Deflection | Load  | Deflection | Load  | Deflection | Permanent deformation |
|-------|------------|-------|------------|-------|------------|-----------------------|
| 25kg  | 1.16 mm    | 205kg | 2.66 mm    | 385kg | 3.88 mm    |                       |
| 45kg  | 1.42 mm    | 225kg | 2.81 mm    | 405kg | 4.01 mm    | _                     |
| 65kg  | 1.56 mm    | 245kg | 2.95 mm    | 425kg | 4.15 mm    |                       |
| 85kg  | 1.71 mm    | 265kg | 3.11 mm    | 445kg | 4.25 mm    | -                     |
| 105kg | 1.87 mm    | 285kg | 3.24 mm    | 465kg | 4.32 mm    | 0.13 mm               |
| 125kg | 2.04 mm    | 305kg | 3.39 mm    | 485kg | 4.38 mm    |                       |
| 145kg | 2.18 mm    | 325kg | 3.51 mm    | 500kg | 4.44 mm    |                       |
| 165kg | 2.34 mm    | 345kg | 3.64 mm    | /     |            |                       |
| 185kg | 2.51 mm    | 365kg | 3.76 mm    | 1     | 1          |                       |

## 2. Limited Concentrated Load

#### **Test Method:**

Apply a concentrated load on the center of top surface via the 5 cm  $\times$  5 cm load pad until the sample damaged. Record the load.

### **Test Result:**

| Test Item    | Test Result |
|--------------|-------------|
| Limited load | 1771 kg     |
|              |             |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

A #### 0 1 6 0 5 8





No.: AJHL1705002495FT


Date: MAY 28, 2017 P


# Page: 3 of 3

### Photo Appendix









SGS authenticate the photo on original report only

\*\*\*End of Report\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of transaction from exercising all their rights and obligations under the transaction and this document does not exonerate parties to a except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.